Access	<b>₽#</b>	
MUUUUS	UD#	

## **SEARCH REQUEST FORM**

Scientific and Technic	cal Information Center
Requester's Full Nam David 11 to Jan	7/263 08/20/03 Examiner #: Date: Dat
Requester's Full Name: avid Lucton Art Unit: 1652 Phone Number 30 8 321	3 Serial Number: 09-7/8 59/
Mail Box and Bldg/Room Location:  Res  Res  Res	sults Format Preferred (circle): PAPER DISK E-MAIL
If more than one search is submitted, please prioriti	ize searches in order of need.

Title: Peptides having antiangiogenic activity.

Applicants: HAVIV, FORTUNA; HENKIN, JACK; BRADLEY, MICHAEL F.; KALVIN, DOUGLAS M.; SCHNEIDER, ANDREW J.

Earliest Priority Date: 11/22/99

Applicants are claiming peptides which conform to the formula on the attached sheet.

R1 = acetyl, HOOC-CH<sub>2</sub>-CH<sub>2</sub>-CO-,  $C_6H_5$ -CO[R1 cannot be hydrogen]

R2 = methyl, hydrogen,  $-(CH_2)_n$ -COOH,  $-(CH_2)_n$ -CONH<sub>2</sub>,  $-CH_2$ -OH,

R3 = alkyl, hydrogen,  $-CH_2-C_6H_5$ ,  $-(CH_2)_n-COOH$ ,  $-(CH_2)_n-CONH_2$ ,  $-CH_2-CH_2-SCH_3$ 

R4 = alkyl,- $CH_2$ - $C_6H_5$ , aminobutyl, - $(CH_2)_n$ -COOH, - $(CH_2)_n$ - $CONH_2$ , imidazolylmethyl, indolylmethyl, - $CH_2$ - $CH_2$ - $CH_3$ -CH

R5 = anything, provided that the carbon bearing R5 is of the D-configuration

## BEST AVAILABLE COPY

R6 = alkyl, hydrogen,  $-CH_2$ -OH,  $-(CH_2)_n$ -CONH<sub>2</sub>, imidazolylmethyl, indolylmethyl,  $-CH_2$ -CH<sub>2</sub>-SCH<sub>3</sub>,  $-CH_2$ -CH=CH<sub>2</sub>,  $-CH_2$ -SH

R7 = alkyl, hydrogen,  $-CH_2-C_6H_5$ ,  $-(CH_2)_n-CONH_2$ ,  $-CH_2-OH$ ,  $-(CH_2)_3-NHC(=NH)NH_2$ , indolylmethyl;  $-CH_2-CH_2-SCH_3$ ,  $-CH_2-SH$ 

R8 = alkyl, hydrogen, -CH<sub>2</sub>- CH<sub>2</sub>-SCH<sub>3</sub>, -CH<sub>2</sub>-CH=CH<sub>2</sub>;

R9 =  $-(CH_2)_3$ -NHC(=NH)NH<sub>2</sub>,  $-(CH_2)_3$ -NH-CONH<sub>2</sub>, imidazolylmethyl,  $-(CH_2)_4$ -NH<sub>2</sub>

R10 = alkyl, -CH<sub>2</sub>OH or -CH<sub>2</sub>-C<sub>6</sub>H<sub>5</sub>

R11 = anything, but can contain no more than one amino acid.

n = 1 or 2

